

L Number	Hits	Search Text	DB	Time stamp
107	125600	(receiv\$3 or reception) near6 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:43
108	375518	(generat\$3 or send\$3 or transmi\$5) near6 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:44
109	62252	((receiv\$3 or reception) near6 pulse\$1) same ((generat\$3 or send\$3 or transmi\$5) near6 pulse\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:44
110	108502	number\$1 near6 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:44
111	6875	((receiv\$3 or reception) near6 pulse\$1) same ((generat\$3 or send\$3 or transmi\$5) near6 pulse\$1)) same (number\$1 near6 pulse\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:45
112	131427	pulse\$1.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:45
113	4054	((receiv\$3 or reception) near6 pulse\$1) same ((generat\$3 or send\$3 or transmi\$5) near6 pulse\$1)) same (number\$1 near6 pulse\$1)) and pulse\$1.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:45
114	500	(number\$1 near6 pulse\$1) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:45
115	485	((number\$1 near6 pulse\$1) and 710.clas.) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:47
116	42	((receiv\$3 or reception) near6 pulse\$1) same ((generat\$3 or send\$3 or transmi\$5) near6 pulse\$1)) same (number\$1 near6 pulse\$1)) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:47

117	41	(((((receiv\$3 or reception) near6 pulse\$1) same ((generat\$3 or send\$3 or transmi\$5) near6 pulse\$1)) same (number\$1 near6 pulse\$1)) and 710.clas.) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 08:14
118	28054	encod\$5 near8 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 08:13
119	110	(encod\$5 near8 pulse\$1) and 710.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 08:13
120	12	((encod\$5 near8 pulse\$1) and 710.clas.) and (710/8-16.ccls. or 710/104.ccls. or 713/1-2.ccls. or 713/100.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 08:13
121	12	((encod\$5 near8 pulse\$1) and 710.clas.) and (710/8-16.ccls. or 710/104.ccls. or 713/1-2.ccls. or 713/100.ccls.) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 08:14
-	6699	revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 12:57
-	109	(revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 11:22
-	103	((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:01
-	51020	(revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:11
-	52935	(revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 12:58

-	6549	((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:02
-	11639	(revision\$1 or version\$1).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:00
-	1376	((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:00
-	35712	(revision\$1 or version\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:00
-	572	(((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)) and ((revision\$1 or version\$1).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:00
-	464	(((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)) and ((revision\$1 or version\$1).ab.)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:23
-	461	(((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)) and ((revision\$1 or version\$1).ab.)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not ((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:01

-	461	((((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)) and ((revision\$1 or version\$1).ab.)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:01
-	31110	(revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:40
-	4613	14.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:03
-	181	(((((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and ((revision\$1 or version\$1).clm.)) and ((revision\$1 or version\$1).ab.)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501))) and 14.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:05
-	228	(((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) with automatic\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:05
-	199	((((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) with automatic\$5) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:06

-	194	(((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) with automatic\$5) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:10
-	2670	each	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:10
-	23910	(revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or table\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:20
-	124	((((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7 or table\$1 or entry or entries)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) with automatic\$5) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501))) and ((revision\$1 or version\$1) near6 (stor\$5 or sav\$5 or table\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:18
-	21783	(query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:40
-	28518	(revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 14:00
-	5933	((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) and ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:20

-	2012	(((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) and ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) and ((revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:21
-	3651	((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:21
-	741	(((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) same ((revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:22
-	123	(((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) same ((revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:22
-	91	((((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) same ((revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:50

-	91	(((((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) near6 (revision\$1 or version\$1)) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) same ((revision\$1 or version\$1) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (pld\$1 or pd\$1 or fpga\$1 or epld\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:23
-	36302	(query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:46
-	4806	((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:49
-	5462	((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:41
-	1188	((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:41
-	10	((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) same reset\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:41

-	1164	reset\$5 with (revision\$1 or version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:46
-	568	((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:48
-	23713	(revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:49
-	96	((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:49
-	89	(((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 14:00
-	83	(((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) or (((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)))) same reset\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:51

-	219384	pld\$1 or pd\$1 or fpga\$1 or epld\$1 or altera\$1 or xilinx\$1 or programmabl\$1 adj2 device\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:53
-	31	((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) or (((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) same reset\$5))) and (pld\$1 or pd\$1 or fpga\$1 or epld\$1 or altera\$1 or xilinx\$1 or programmabl\$1 adj2 device\$1) track\$3 near6 (version\$1 or revision\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:56
-	2026	track\$3 near6 (version\$1 or revision\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:57
-	9	(track\$3 near6 (version\$1 or revision\$1)) same reset\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:57
-	9	((track\$3 near6 (version\$1 or revision\$1)) same reset\$5) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:59
-	334	((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) same reset\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 13:59

-	96	(((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 14:00
-	89	(((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @ptld<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 14:00

-	52	<p> ((((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eeprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) or (((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eeprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) same reset\$5))) not ((((((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eeprom\$1 or nvram\$1 or eeprom\$1)) same reset\$5) same ((revision\$1 or version\$1) near8 (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) not (((revision\$1 near6 (stor\$5 or updat\$5 or determin\$5 or program\$5 or identif\$7 or specif\$7)) with (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) or (((revision\$1 or version\$1) near8 (stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eeprom\$1 or nvram\$1 or eeprom\$1)) same (((query\$3 or querie\$1 or poll\$3 or request\$3 or send\$3 or transfer\$5 or transmi\$5 or receiv\$3 or recep\$5) with (revision\$1 or version\$1)) with (master\$1 or slave\$1 or device\$1 or module\$1 or peripheral\$1 or node\$1 or pld\$1 or pd\$1 or fpga\$1 or epld\$1))) same reset\$5))) and (pld\$1 or pd\$1 or fpga\$1 or epld\$1 or altera\$1 or xilinx\$1 or programmabl\$1 adj2 device\$1)) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:26
-	7053	updat\$5 near6 (revision\$1 or version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:22

-	8113	updat\$5 near6 (revision\$1 or version\$1 or firmware\$1 or firm adj2 ware\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:23
-	275	(updat\$5 near6 (revision\$1 or version\$1 or firmware\$1 or firm adj2 ware\$1)) same (master\$1 or slave\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:23
-	41348	(revision\$1 or version\$1 or firmware\$1) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:29
-	17014	((revision\$1 or version\$1 or firmware\$1) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) with (number\$1 or info\$7 or data or level\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:26
-	451	((((revision\$1 or version\$1 or firmware\$1) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) with (number\$1 or info\$7 or data or level\$1)) same (master\$1 or slave\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:26
-	408	(((((revision\$1 or version\$1 or firmware\$1) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) with (number\$1 or info\$7 or data or level\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:29
-	49645	(revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:51
-	13148	((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:29
-	380	(((((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:29

-	340	(((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:36
-	39894	(revision\$1 or version\$1 or firmware\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:29
-	137	((((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) and ((revision\$1 or version\$1 or firmware\$1).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:30
-	100	((((((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) and ((revision\$1 or version\$1 or firmware\$1).ab.)) and (firmware\$1 or firm adj2 ware\$1 or software\$1 or driver\$1 or program\$1 or code\$1 or routine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:35
-	31189	(revision\$1 or version\$1) near6 (program\$1 or software\$1 or firmware\$1 or routine\$1 or code\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:52
-	51	(((((((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) and ((revision\$1 or version\$1 or firmware\$1).ab.)) and (firmware\$1 or firm adj2 ware\$1 or software\$1 or driver\$1 or program\$1 or code\$1 or routine\$1)) and ((revision\$1 or version\$1) near6 (program\$1 or software\$1 or firmware\$1 or routine\$1 or code\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:52

-	32155	(revision\$1 or version\$1) near6 (program\$1 or software\$1 or firmware\$1 or routine\$1 or code\$1 or driver\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 10:53
-	51	(((((((revision\$1 or version\$1 or firmware\$1) near4 (data or info\$7 or level\$1 or number\$1 or id\$1 or identif\$7 or specif\$7 or indicat\$5)) near8 (updat\$5 or stor\$5 or sav\$5 or table\$1 or lookup or look adj2 up or register\$1 or list\$5 or memory or eprom\$1 or nvram\$1 or eeprom\$1)) same (master\$1 or slave\$1)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)) and ((revision\$1 or version\$1 or firmware\$1).ab.)) and (firmware\$1 or firm adj2 ware\$1 or software\$1 or driver\$1 or program\$1 or code\$1 or routine\$1)) and ((revision\$1 or version\$1) near6 (program\$1 or software\$1 or firmware\$1 or routine\$1 or code\$1 or driver\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:19
-	23	(US-5974429-\$ or US-5905896-\$ or US-5881292-\$ or US-5291244-\$ or US-5008814-\$ or US-6609127-\$ or US-6587873-\$ or US-6442446-\$ or US-6301709-\$ or US-6182286-\$).did. or (US-20020152371-\$ or US-20010008024-\$).did. or (JP-2002268932-\$ or JP-2000259398-\$ or JP-11096013-\$ or JP-10269063-\$ or JP-10021061-\$ or JP-09146861-\$ or JP-06051961-\$ or JP-04301655-\$).did. or (JP-11096013-\$ or US-5684952-\$ or WO-200011556-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2003/10/10 11:30
-	11	("4558413" "5499365" "5565114" "5574898" "5675802" "5947675" "6000830" "6023710" "6112024" "6233492" "6263497").PN.	USPAT	2003/10/10 11:31
-	0	6442446.URPN.	USPAT	2003/10/10 11:31
-	9674	(master\$1 or slave\$1) near8 puls\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:34
-	1991	master\$1 with slave\$1 with puls\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:35
-	334	(master\$1 with slave\$1 with puls\$3) with (config\$7 or info\$7 or revision\$1 or version\$1 or number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:36
-	77	((master\$1 with slave\$1 with puls\$3) with (config\$7 or info\$7 or revision\$1 or version\$1 or number\$1)) and 7??clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:41

-	76	((master\$1 with slave\$1 with puls\$3) with (config\$7 or info\$7 or revision\$1 or version\$1 or number\$1)) and 7?? clas.) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:41
-	125471	(receiv\$3 or reception) near6 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:47
-	987	((receiv\$3 or reception) near6 pulse\$1) near6 master\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:40
-	217	((receiv\$3 or reception) near6 pulse\$1) near6 master\$1) with slave\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:40
-	38	((receiv\$3 or reception) near6 pulse\$1) near6 master\$1) with slave\$1) and 7?? clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:41
-	37	((receiv\$3 or reception) near6 pulse\$1) near6 master\$1) with slave\$1) and 7?? clas.) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:48
-	189720	(receiv\$3 or reception or transmi\$5 or send\$3) near6 pulse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:47
-	590	((receiv\$3 or reception or transmi\$5 or send\$3) near6 pulse\$1) with master\$1 with slave\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:47
-	69	((receiv\$3 or reception or transmi\$5 or send\$3) near6 pulse\$1) with master\$1 with slave\$1) with (identif\$7 or specif\$7 or indicat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/10 12:48
-	68	((receiv\$3 or reception or transmi\$5 or send\$3) near6 pulse\$1) with master\$1 with slave\$1) with (identif\$7 or specif\$7 or indicat\$5)) and (@ad<20010501 or @prad<20010501 or @rlad<20010501 or @pd<20010501 or @pt1d<20010501)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 07:46